



Densu Ceramic Dental Laboratory

Laboratory & Office :

#08, Norris Canal Road, Colombo - 10, Sri Lanka.

Tel : +94 112 680336 / 337, +94 115 764431,

+94 115 753200

Fax : +94 112 680338

Hot Line : +94 777 678116, +94 717 678116

TRAY - <input type="checkbox"/> U / <input type="checkbox"/> L	No's
(Metal / Plastic / Full / Partial)	<input type="checkbox"/>
ABUTMENT	<input type="checkbox"/>
SCREWS	<input type="checkbox"/>
ANALOG	<input type="checkbox"/>
CASTABLE ABUTMENT	<input type="checkbox"/>
PROSTHETIC HAND DRIVE	<input type="checkbox"/>

Lab Use Only:

DR. _____

DATE. _____

PHONE NO. _____

FI DATE. _____

PATIENT. _____

SEX. _____ AGE. _____



FACIAL SHAPE:

TYPE OF MATERIALS


TYPE OF CASE

SHADE:

PFM (BEGO - METAL & VITA PORCELAIN)
PFM NICKEL FREE
FULL METAL CROWN
PORCELAIN FUSED GOLD
GOLD 18K
CAD/CAM SINTRON (NICKLE FREE)
CAD/CAM ZIRCORNIA
CAD/CAM ZIRCORNIA OPAQUE (FOR IMPLANT & BLACK STUMP)
CAD/CAM ZIRCORNIA LOW TRANSLUCENCY
CAD/CAM ZIRCORNIA HIGH TRANSLUCENCY
CAD/CAM ZIRCORNIA SUPPER HIGH TRANSLUCENCY
CAD/CAM ZIRCORNIA MULTY LAYER
CAD/CAM PEEK FOR IMPLANTS
VITA SUPRINITY
IPS e- max CAD/ CAM
CAD/ CAM VITA ENAMIC - Hybrid Ceramic + Composite
3D PRINTING MODEL

CROWN
BRIDGE
VENEERS
ONLAY / INLAY
MARYLAND BRIDGE
TELESCOPIC CROWN
MILLING SURVEY CROWN
IMPLANT CROWN
IMPLANT BRIDGE
SURGICAL GUIDE PLATE
IMPLANT CUSTOM ABUTMENT
WINGS / REST
3/4 WINGS
DOWEL POST & CORE
ATTACHMENT
TEMPORARY
CAD / CAM DESIGN ONLY

TRANSLUCENCY (T)
 OCCLUSAL STAIN



Glaze

Med gloss
 Hi gloss


I agree to pay urgent chagers (3 Working days)

Sign:

TEMPORARY MATERIALS

ACRYLIC
CAD/CAM PMMA
3D PRINTING TEMP

Specialy for CAD/CAM Zircornium cases.
 The preparation stump is discoloured (black color)



yes No

COPING DESIGN (PLEASE CIRCLE ONE) :




RETURN: TEMPORARY

Date: _____

WAX UP BISQUE
 Date: _____ Date: _____

METAL TRIAL FINISHED
 Date: _____ Date: _____

TYPE OF CASE DESIGN



Special Note

.....

